






# MICRO

# SLIM MAGNETIC LIGHTING SYSTEM

LEDmaps  
light at it's best



## ● VT-Micro 王牌照明POWERLIGHT






TRACK



Surface mounted



Recessed mounted



Surface mounted & Suspension mounted




# SLIM MAGNETIC - VT-Micro

LEDmaps  
light at it's best



## DIMENSION

Unit: mm



COLOR:



Sand black/white

Code: **VT-Micro-G12**

Power: 10W

LED Chip: Bridgelux/Cree SMD

CRI: >90 />80

CCT: 3000K/4000K/5000K


Net Weight: /

Body Material : 6030 Aluminium

Input Voltage : DC48V


Adjustable Angle : No

## PHOTOMETRIC DIAGRAM



## DIMENSION

Unit: mm



COLOR:



Sand black/white

Code: **VT-Micro-G18**

Power: 15W

LED Chip: Bridgelux/Cree SMD

CRI: >90 />80

CCT: 3000K/4000K/5000K


Net Weight: /


Body Material : 6030 Aluminium

Input Voltage : DC48V

Adjustable Angle : No


## PHOTOMETRIC DIAGRAM





DIMENSION

Unit: mm




COLOR:




Code:	VT-Micro-D12
Power:	10W
LED Chip:	Bridgelux/Cree/Osram SMD
CRI:	>90 />80
CCT:	3000K/4000K/5000K
Net Weight:	/
Body Material :	6030 Aluminium
Input Voltage :	DC48V
Adjustable Angle :	No

PHOTOMETRIC DIAGRAM



DIMENSION

Unit: mm




COLOR:




Code:	VT-Micro-D18
Power:	15W
LED Chip:	Bridgelux/Cree/Osram SMD
CRI:	>90 />80
CCT:	3000K/4000K/5000K
Net Weight:	/
Body Material :	6030 Aluminium
Input Voltage :	DC48V
Adjustable Angle :	No

PHOTOMETRIC DIAGRAM




# SLIM MAGNETIC - VT-Micro

LED MAPS  
light at it's best



## DIMENSION

Unit: mm





COLOR:




Code:	VT-Micro-FG12
Power:	10W
LED Chip:	Bridgelux/Cree smd
CRI:	>90 />80
CCT:	3000K/4000K/5000K
Net Weight:	/
Body Material :	6030 Aluminium
Input Voltage :	DC48V
Adjustable Angle :	0°- 90°Vertical Aiming Tilt

## PHOTOMETRIC DIAGRAM



## DIMENSION

Unit: mm




COLOR:





Code:	VT-Micro-FG18
Power:	15W
LED Chip:	Bridgelux/Cree SMD
CRI:	>90 />80
CCT:	3000K/4000K/5000K
Net Weight:	/
Body Material :	6030 Aluminium
Input Voltage :	DC48V
Adjustable Angle :	0°- 90°Vertical Aiming Tilt

## PHOTOMETRIC DIAGRAM



# SLIM MAGNETIC - VT-Micro



## DIMENSION

Unit: mm






COLOR:




Code:	VT-Micro-FD12
Power:	10W
LED Chip:	Bridgelux/Cree smd
CRI:	>90 />80
CCT:	3000K/4000K/5000K
Net Weight:	/
Body Material :	6030 Aluminium
Input Voltage :	DC48V
Adjustable Angle :	0°- 90°Vertical Aiming Tilt

## PHOTOMETRIC DIAGRAM



## DIMENSION

Unit: mm




COLOR:



Code:	VT-Micro-FD18
Power:	15W
LED Chip:	Bridgelux/Cree SMD
CRI:	>90 />80
CCT:	3000K/4000K/5000K
Net Weight:	/
Body Material :	6030 Aluminium
Input Voltage :	DC48V
Adjustable Angle :	0°- 90°Vertical Aiming Tilt

## PHOTOMETRIC DIAGRAM






# SLIM MAGNETIC - VT-Micro

LEDmaps  
light at it's best



## DIMENSION

Unit: mm



COLOR:



Code: **VT-Micro-T35**

Power: 5W

LED Chip: Citizen/Cree COB

CRI: >90 />80

CCT: 3000K/4000K/5000K


Net Weight: /

Body Material : 6030 Aluminium

Input Voltage : DC48V


Adjustable Angle : 0° - 90°Vertical Aiming Tilt  
0° - 350°horizontal Rotation

## PHOTOMETRIC DIAGRAM



## DIMENSION

Unit: mm



COLOR:



Code: **VT-Micro-T46**

Power: 10W

LED Chip: Bridgelux/Cree SMD

CRI: >90 />80

CCT: 3000K/4000K/5000K


Net Weight: /

Body Material : 6030 Aluminium

Input Voltage : DC48V

Adjustable Angle : 0° - 90°Vertical Aiming Tilt  
0° - 350°horizontal Rotation

## PHOTOMETRIC DIAGRAM



# SLIM MAGNETIC - VT-Micro


LED美鋪



Code:	VT-Micro-T55
Power:	15W
LED Chip:	Citizen/Cree COB
CRI:	>90 />80
CCT:	3000K/4000K/5000K
Net Weight:	/
Body Material :	6030 Aluminium
Input Voltage :	DC48V
Adjustable Angle :	0°- 90°Vertical Aiming Tilt 0°- 350°horizontal Rotation

## DIMENSION

Unit: mm



COLOR:



Sand black/white

## PHOTOMETRIC DIAGRAM

